

## SHOWER TOILET SUPREO

### PRODUCT INFORMATION

#### 1. POSITION



<b>Article number</b>	<b>V16EN2R1</b>
Article title	Villeroy & Boch Supreo TwistFlush Supreo shower toilet, White Alpin CeramicPlus
Product designation	Supreo shower toilet
Collection	Supreo
Assembly / Assembly type	wall-mounted
Assembly instructions	Power and water connection must be available Use only in working pressure range between 0.05 Mpa (dynamic) and 0.75 Mpa (static) Use solely in a water temperature range between 3°C and 35°C A water softening unit is recommended for a level of water hardness of $\geq 2.4$ mmol/l ( $\geq 14^\circ\text{dH}$ ). <strong>Note:</strong> Required accessories for the AutoFlush function must be used in combination (V994 48 00 and V994 42 XX)!
Scope of delivery	1 x shower toilet, rimless 1 x remote control 1 x seat with cover 1 x water connection set
Ordering information	<strong>Note:</strong> Required accessories for the AutoFlush function must be used in combination (V994 48 00 and V994 42 XX)!
Length in mm	612
Width in mm	384
Height in mm	423
Weight in kg	35,00
Suitable for	Concealed cistern Installation system
Rimless	Yes
Flush type	Washdown toilet
Outlet / outlet	horizontal outlet
Wall-mounted - floor-standing	wall-mounted
Function	<ul style="list-style-type: none"> <li>• with automatic lowering mechanism (SoftClosing)</li> <li>• with removable seat (QuickRelease)</li> <li>• with warm water</li> <li>• with odour extraction</li> <li>• with Rear wash</li> <li>• with Lady wash</li> <li>• with Comfort wash</li> <li>• with adjustable jet pressure</li> </ul>



- with adjustable w: temperature
- with adjustable nc position
- with automatic no cleaning before a
- with Invisible Jet 1
- with app control

Material	Sanitary ceramics
Colour name	White Alpin CeramicPlus
Other material	<ul style="list-style-type: none"><li>• Toilet seat and co Duroplast</li><li>• Shower nozzle: C</li></ul>
Other surfaces	Toilet seat and cover: glo nozzle: glossy
Degree of protection	IP X4
EAN number	4065467462316

## COLOUR

### COLOUR DESIGNATION



White Alpin

TECHNICAL DRAWINGS

V16EN2R1

