

Central Heating Model STOCK listed in black	Height mm	Width mm	Finish	Output $\Delta T=50K$ Watts/btu All outputs certified to EN 442	Electric Immersion Rating Watts	Weight kg	RRP (ex VAT)	RRP (inc 20% VAT)
Zehnder Subway								
SUB-060-045	613	450	white	310/1058	200	5.2	£166	£199.20
SUB-100-045	973	450	white	401/1368	300	6.7	£179	£214.80
SUB-100-060	973	600	white	499/1703	300	8.3	£194	£232.80
SUB-130-045	1261	450	white	509/1737	300	8.6	£198	£237.60
SUB-130-060	1261	600	white	639/2180	400	10.5	£220	£264.00
SUB-150-045	1549	450	white	615/2098	400	10.6	£231	£277.20
SUB-150-060	1549	600	white	772/2634	500	12.5	£257	£308.40
SUB-180-045	1837	450	white	715/2440	500	12.2	£261	£313.20
SUB-180-060	1837	600	white	898/3064	600	14.7	£289	£346.80
SUBC-060-045	613	450	chrome	205/699	100	5.0	£361	£433.20
SUBC-100-045	973	450	chrome	265/904	200	6.5	£463	£555.60
SUBC-100-060	973	600	chrome	329/1123	200	8.1	£524	£628.80
SUBC-130-045	1261	450	chrome	335/1143	200	8.4	£525	£630.00
SUBC-130-060	1261	600	chrome	406/1385	300	10.2	£582	£698.40
SUBC-150-045	1549	450	chrome	420/1433	300	10.1	£619	£742.80
SUBC-150-060	1549	600	chrome	508/1733	300	12.3	£688	£825.60
SUBC-180-045	1837	450	chrome	485/1655	300	11.8	£692	£830.40
SUBC-180-060	1837	600	chrome	592/2020	400	14.3	£771	£925.20


⚡ Dual Energy: Self Fit - Additional cost to Central Heating model prices. See page 136 for details

🎨 Colour finish: Standard colours from the Zehnder colour chart including matt white finish: white RAL 9016 + 25%. Colour finish and non-stock products delivery: 20 working days.

Optional wall brackets: Increases space behind rail by 20mm

Model		RRP (ex VAT)	RRP (inc 20% VAT)
952111	Subway SUB extended bracket kit. White finish.	£38	£45.60
952118	Subway SUBC extended bracket kit. Chrome finish.	£38	£45.60
952119	Subway SUB extended bracket kit. Colour finish.	£38	£45.60

*1/2" air vent
 Height excludes air vent
 F = flow
 R = return
 H = height
 W = width
 Tube: Horizontal \varnothing 23mm
 Tube: Vertical 30x30mm
 All dimensions in mm



For full **CE** compliant technical specifications, refer to page 140
 To make an approximate conversion from T=50K to T=60K multiply outputs by 1.2

Zehnder Subway



The elegance and simplicity of the white and chrome Zehnder Subway are popular choices for modern bathrooms.



Sand Quartz



Stainless Steel: see page 68



Valves: see page 130



Central Heating Model STOCK listed in black	Height mm	Width mm	Finish	Output $\Delta T=50K$ Watts/btu All outputs certified to EN 442	Electric Immersion Rating Watts	Weight kg	RRP (ex VAT)	RRP (inc 20% VAT)
Zehnder Subway								
SUB-060-045-0336	613	450	volcanic	310/1058	200	5.2	£208	£249.60
SUB-100-045-0336	973	450	volcanic	401/1368	300	6.7	£224	£268.80
SUB-100-060-0336	973	600	volcanic	499/1703	300	8.3	£243	£291.60
SUB-130-045-0336	1261	450	volcanic	509/1737	300	8.6	£248	£297.60
SUB-130-060-0336	1261	600	volcanic	639/2180	400	10.5	£275	£330.00
SUB-150-060-0336	1549	600	volcanic	772/2634	500	12.5	£321	£385.20
SUB-180-045-0336	1837	450	volcanic	715/2440	500	14.7	£326	£391.20
SUB-060-045-0523	613	450	beige quartz	310/1058	200	5.2	£208	£249.60
SUB-100-045-0523	973	450	beige quartz	401/1368	300	6.7	£224	£268.80
SUB-100-060-0523	973	600	beige quartz	499/1703	300	8.3	£243	£291.60
SUB-130-045-0523	1261	450	beige quartz	509/1737	300	8.6	£248	£297.60
SUB-130-060-0523	1261	600	beige quartz	639/2180	400	10.5	£275	£330.00
SUB-150-060-0523	1549	600	beige quartz	772/2634	500	12.5	£321	£385.20
SUB-180-045-0523	1837	450	beige quartz	715/2440	500	14.7	£326	£391.20
SUB-060-045-0529	613	450	brown quartz	310/1058	200	5.2	£208	£249.60
SUB-100-045-0529	973	450	brown quartz	401/1368	300	6.7	£224	£268.80
SUB-100-060-0529	973	600	brown quartz	499/1703	300	8.3	£243	£291.60
SUB-130-045-0529	1261	450	brown quartz	509/1737	300	8.6	£248	£297.60
SUB-130-060-0529	1261	600	brown quartz	639/2180	400	10.5	£275	£330.00
SUB-150-060-0529	1549	600	brown quartz	772/2634	500	12.5	£321	£385.20
SUB-180-045-0529	1837	450	brown quartz	715/2440	500	14.7	£326	£391.20
SUB-060-045-0335	613	450	titane	310/1058	200	5.2	£208	£249.60
SUB-100-045-0335	973	450	titane	401/1368	300	6.7	£224	£268.80
SUB-100-060-0335	973	600	titane	499/1703	300	8.3	£243	£291.60
SUB-130-045-0335	1261	450	titane	509/1737	300	8.6	£248	£297.60
SUB-130-060-0335	1261	600	titane	639/2180	400	10.5	£275	£330.00
SUB-150-060-0335	1549	600	titane	772/2634	500	12.5	£321	£385.20
SUB-180-045-0335	1837	450	titane	715/2440	500	14.7	£326	£391.20


Dual Energy: Self Fit - Additional cost to Central Heating model prices. See page 136 for details

Colour finish: Standard colours from the Zehnder colour chart including matt white finish: white RAL 9016 + 25%. Colour finish and non-stock products delivery: 20 working days.

Optional wall brackets: Increases space behind rail by 20mm

Model	RRP (ex VAT)	RRP (inc 20% VAT)
952119 Subway SUB extended bracket kit. Colour finish.	£38	£45.60

*1/2" air vent
 Height excludes air vent
 F = flow
 R = return
 H = height
 W = width
 Tube: Horizontal \varnothing 23mm
 Tube: Vertical 30x30mm
 All dimensions in mm



For full **CE** compliant technical specifications, refer to page 140
 To make an approximate conversion from T=50K to T=60K multiply outputs by 1.2

Zehnder Subway



With its classic lines and broad appeal, the contemporary Zehnder Subway towel rail offers comfort and superb design in colour finishes, chrome and stainless steel.



Beige Quartz



Brown Quartz



Valves: see page 130



Electric Heating Model STOCK listed in black	Height mm	Width mm	Finish	Simple Electric Immersion heater Rating Watts Class II IPX4 Zones 1 and 2	Weight kg	RRP (ex VAT)	RRP (inc 20% VAT)
⚡ Zehnder Subway Electric							
SUBE-130-045/F	1261	450	white	500	13.1	£269	£322.80
SUBE-150-045/F	1549	450	white	600	16.0	£312	£374.40
SUBE-150-060/F	1549	600	white	750	19.7	£340	£408.00
SUBE-180-060/F	1837	600	white	900	22.4	£378	£453.60
SUBEC-130-045/F	1261	450	chrome	300	12.9	£616	£739.20
SUBEC-150-045/F	1549	450	chrome	300	15.5	£719	£862.80
SUBEC-150-060/F	1549	600	chrome	500	19.5	£796	£955.20
SUBEC-180-060/F	1837	600	chrome	600	22.0	£885	£1,062.00

Electric Heating Model	Height mm	Width mm	Finish	Electric Immersion Rating Watts with Safir Class II, IPX4 Zone 1 bath, Zone 2 shower	Weight kg	RRP (ex VAT)	RRP (inc 20% VAT)
⚡ Zehnder Subway Electric							
SUBE-130-045/IF	1261	450	white	500	12.6	£486	£583.20
SUBE-150-045/IF	1549	450	white	600	15.3	£531	£637.20
SUBE-150-060/IF	1549	600	white	750	18.3	£584	£700.80
SUBE-180-060/IF	1837	600	white	900	21.3	£636	£763.20
SUBEC-130-045/IF	1351	450	chrome	300	12.6	£859	£1,030.80
SUBEC-150-045/IF	1549	450	chrome	300	15.3	£998	£1,197.60
SUBEC-150-060/IF	1549	600	chrome	500	18.3	£1,098	£1,317.60
SUBEC-180-060/IF	1837	600	chrome	600	21.3	£1,197	£1,436.40


Simple Electric Immersion heating has Safir casing without infra red control included.

The immersion heater is fitted to the right hand header.

Note: Height does not include the immersion heater. (See diagrams below)

🎨 Colour finish: Standard colours from the Zehnder colour chart including matt white finish: white RAL 9016 + 25%. Colour finish and non-stock products delivery: 20 working days.

H = height
W = width
Tube: Horizontal Ø 23mm
Tube: Vertical 30x30mm
All dimensions in mm



Zehnder Subway



The simple elegance of the Subway in its electric form is maintained with either the infra-red receiver or a simple immersion heater.



Stainless Steel: see page 68



Safir Infra-red electric immersion heater control unit see page 137



STAINLESS STEEL HEATED TOWEL RAILS AND RADIATORS

Stainless Steel Model STOCK listed in black	Height mm	Width mm	Finish	Output $\Delta T=50K$ Watts/btu All outputs certified to EN 442	Electric Immersion Rating Watts	Weight kg	RRP (ex VAT)	RRP (inc 20% VAT)
Zehnder Subway Stainless Steel (brushed)								
SUBI-060-045	613	450	stainless steel	221/754	150	5.1	£408	£489.60
SUBI-130-045	1261	450	stainless steel	370/1262	200	8.7	£571	£685.20
SUBI-130-060	1261	600	stainless steel	447/1525	300	10.4	£633	£759.60
SUBI-150-045	1549	450	stainless steel	445/1518	300	10.4	£672	£806.40
SUBI-150-060	1549	600	stainless steel	538/1836	300	12.4	£748	£897.60
SUBI-180-060	1837	600	stainless steel	633/2160	400	14.4	£837	£1,004.40

⚡ Dual Energy: Self Fit - Additional cost to Central Heating model prices. See page 136 for details

Height mm	Width mm	Finish	Weight kg	Simple electric immersion heater Class II IPX4, Zones 1 bath, Zone 2 shower				Electric immersion heater with Safir Class II IPX4, Zones 1 bath, Zone 2 shower			
				Model	Electric rating	RRP (ex VAT)	RRP (inc 20% VAT)	Model	Electric rating	RRP (ex VAT)	RRP (inc 20% VAT)
⚡ Zehnder Subway electric only models (with a choice of either a simple immersion heater (no controls) or the Safir immersion heater)											
1261	450	s/steel	13.2	SUBEI-130-045/F	300	£662	£794.40	SUBEI-130-045/IF	300	£930	£1,116.00
1549	450	s/steel	15.9	SUBEI-150-045/F	300	£776	£931.20	SUBEI-150-045/IF	300	£1,100	£1,320.00
1549	600	s/steel	19.6	SUBEI-150-060/F	500	£858	£1,029.60	SUBEI-150-060/IF	500	£1,238	£1,485.60
1837	600	s/steel	21.8	SUBEI-180-060/F	600	£956	£1,147.20	SUBEI-180-060/IF	600	£1,356	£1,627.20

Simple Electric Immersion heating has Safir casing without infra red control included.


Note: Height does not include the immersion heater. (See diagrams below)

Optional wall brackets: Increases space behind rail by 20mm

Model		RRP (ex VAT)	RRP (inc 20% VAT)
952119	Subway SUB extended bracket kit. Painted finish	£38	£45.60

All brackets for stainless steel radiators are supplied with an Inox painted stainless steel finish.
Delivery of non-stock products: 20 working days.

*1/2" air vent
Height excludes air vent
F = flow
R = return
H = height
W = width
Tube: Horizontal \varnothing 23mm
Tube: Vertical 30x30mm
All dimensions in mm



For full **CE** compliant technical specifications, refer to page 145
To make an approximate conversion from T=50K to T=60K multiply outputs by 1.2

Zehnder Subway



With its classic lines and broad appeal, the stainless steel Zehnder Subway towel rail offers versatility comfort and superb design.



Valves: see page 130

